



GOVERNMENT OF TAMIL NADU

DIRECTORATE OF PUBLIC HEALTH AND PREVENTIVE MEDICINE

பொது சுகாதாரம் மற்றும் நோய்த் தடுப்பு மருந்துத்துறை

SELF DECLARED SANITATION CERTIFICATE

(Issued under G.O.(Ms)No. 276 of Health and Family Welfare (AB2) Department dated 23.09.2024 on the basis of affidavit by the applicant)

Certificate Number : TN00125CGL01627

Issued Date : 10-07-2025

Organization Type : Educational Institutions

Expiry Date : 09-07-2026

Name of the Organization : THE PSBB MILLENNIUM SCHOOL

Address : DLF GARDEN CITY, OFF OMR, THAZHAMBUR

I, KAMALAKANNAN A owner/manager of the THE PSBB MILLENNIUM SCHOOL functioning as Educational Institutions located at THAZHAMBUR in Chengalpattu district hereby declare that

- This Self-Declared Sanitation certificate is valid from 10-07-2025 to 09-07-2026 and will be renewed every year prior to the expiry of the current certificate with updated information.
- Our premises can accommodate 3000 people/pupils and has 48 urinals and 48 toilets which is proportionate to the number of users as per government norms.
- 26 Sanitation workers are deployed to clean the entire premises including Toilets, Common Area Spaces, etc., at regular intervals and proper record is maintained.
- The waste generated on our premises is properly processed and disposed of as per Solid Waste management Rules, 2016.
- There is no potential mosquito breeding area on the premises.
- The premises have adequate drinking water fountains on each floor of the premises.
- The self-declared certificate is displayed prominently on the premises along with the protocol

The Government reserves the right to inspect at any point of time and cause for rectification or cancel or suspend the certificate and take legal action if any conditions are violated.

*S. Aruman*

PRINCIPAL

The PSBB Millennium School  
DLF Garden City Thazhambur,  
Off OMR, Chennai - 600 130.  
Ph. +91 - 44 - 48517880 / 7901

Signature of the Owner/Manager



(அ) TN00125CGL01627 என்ற தனிப்பட்ட சான்றிதழ் எண்ணை

<https://www.tnesevai.tn.gov.in/edistrict/CheckStatus/Certificate/> ல் உள்ளீடு செய்து சரிபார்க்கவும்.

(அல்லது)

(ஆ) கைப்பேசியில் பार्சுகொடு படிப்பான் மூலம் இணையதளத்தில் சரிபார்க்கவும்.

Genuineness of the certificate can be verified by.

(a) Keying in the unique certificate number TN00125CGL01627 in the URL

<https://www.tnesevai.tn.gov.in/edistrict/CheckStatus/Certificate/>

(or)

(b) Reading the 2D barcode with mobile barcode reader and verify through **online.**



# ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

## TEST REPORT



TC-6172

Page No. 1/1

ULR : TC617225300002171P

**Customer Name & Address :**

M/s.SUGAR TIRTH AGRO FOODS  
No.3, Leo Crusher Estate, Karanai Main Road,  
Arasankazhani, Chennai-600130.

Report No. : ME014525052/A

Issue Date : 15/05/2025

Your ref. : LETTER

Ref.Date : 05/05/2025

**Sample Particulars :** Packaged Drinking water other than Packaged Natural Mineral Water

Nature of Sample : PACKAGED DRINKING WATER

Grade/Variety/Type/Class/Size: PET

Quantity : 8 x 1Ltr

Brand Name if any : --

Lab Code : ME/25/05/2-0145

Batch No. : 5

Date of Receipt : 10/05/2025

Date of Manufacture : 05/05/2025

Date of Commencement of testing : 10/05/2025

Date of Expiry : 04/11/2025

Date of Completion of testing : 15/05/2025

Mode of packing : Received in PET Bottles

Tests Required : Monthly Test as per IS:14543:2024

### TEST RESULTS

**Description :** Sample was clear without any sediments, free from suspended particles and extraneous matter.

Sl. No.	TEST PARAMETERS	Requirement	Test Results	Test Method
Table2: General Parameters concerning substances undesirable in Excessive amount				
1	Borates as B, mg/L	Max 5	<0.005	IS:3025 (P 65) 2022
2	Antimony as Sb, mg/L	Max 0.005	<0.0005	IS:3025 (P 65) 2022
3	Mineral oil, mg/L	Max 1	<0.5	IS:3025 (P39):2021
4	Phenolic compounds as C6H5OH, mg/L	Max 0.001	<0.001	IS:3025 (P 43) sec 1 2022
5	Zinc as Zn, mg/L	Max 5.0	<0.005	IS:3025 (P 65) 2022
6	Anionic surface active agents (as MBAS), mg/L	Max 0.2	<0.1	IS:3025 (P 68) 2019
7	Barium as Ba, mg/l	Max 0.7	<0.005	IS:3025 (P 65) 2022
8	Copper as Cu, mg/l	Max 0.05	<0.0005	IS:3025 (P 65) 2022
9	Iron as Fe, mg/l	Max 0.1	<0.001	IS:3025 (P 65) 2022
10	Manganese as Mn, mg/l	Max 0.1	<0.001	IS:3025 (P 65) 2022
Microbiological Requirements (Clause 5.2)				
11	Faecal streptococci /250ml	Absent in 250ml	Absent	IS : 15186:2002 RA 2023
12	Staphylococcus aureus/ 250ml	Absent in 250ml	Absent	IS:5887 (P2):1976 RA 2022
13	Salmonella/250ml	Absent in 250ml	Absent	IS 15187:2016 RA 2021
14	Shigella/250ml	Absent in 250ml	Absent	IS: 5887 (P7):1999 RA 2022

\*\*\*END OF REPORT\*\*\*

*S. Anuman*

PRINCIPAL

The PSBB Millennium School  
DLF Garden City Thazhambur,  
Off OMR, Chennai - 600 130  
Ph. +91 - 44 - 48517880 / 7901



*Prathyusha*  
PRATHYUSHA. D  
Dy.T.M. - Microbiology  
Authorised Signatory

*M. Sachin Raju*  
M.SACHIN RAJU  
T.M. - Chemical  
Govt. Analyst / Authorised Signatory

# 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.  
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in





# ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

## TEST REPORT

Page No. 1/1

### Customer Name & Address :

M/s.SUGAR TIRTH AGRO FOODS  
No.3, Leo Crusher Estate, Karanai Main Road,  
Arasankazhani, Chennai-600130.

Report No. : ME014525052/B

Issue Date : 15/05/2025

Your ref. : LETTER

Ref.Date : 05/05/2025

**Sample Particulars :** Packaged Drinking water other than Packaged Natural Mineral Water

Nature of Sample : PACKAGED DRINKING WATER

Grade/Variety/Type/Class/Size: PET

Quantity : 8 x 1Ltr

Brand Name if any : --

Lab Code : ME/25/05/2-0145

Batch No. : 5

Date of Receipt : 10/05/2025

Date of Manufacture : 05/05/2025

Date of Commencement of testing : 10/05/2025

Date of Expiry : 04/11/2025

Date of Completion of testing : 15/05/2025

Mode of packing : Received in PET Bottles

Tests Required : Monthly Test as per IS:14543:2024

### TEST RESULTS

**Description :** Sample was clear without any sediments, free from suspended particles and extraneous matter.

Sl. No.	TEST PARAMETERS	Requirement	Test Results	Test Method
Microbiological Requirements (Clause 5.2)				
1	Vibrio cholerae/250ml	Absent in 250ml	Absent	IS: 5887 (P5)/Sec 1:Amm:1 2024
2	Vibrio parahaemolyticus/250ml	Absent in 250ml	Absent	IS: 5887 (P5)/Sec 1:Amm:1 2024

\*\*\*END OF REPORT\*\*\*\*

*S. Anuman*

PRINCIPAL

The PSBB Millennium School  
DLF Garden City Thazhambur,  
Off OMR, Chennai - 600 130  
Ph. +91 - 44 - 48517880 / 7901



*Prathyusha D*  
PRATHYUSHA D  
Dy.T.M. - Microbiology  
Authorised Signatory

# 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in





# ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

## TEST REPORT



Page No. 1/1

ULR : TC617225300002172F

**Customer Name & Address :**

M/s.SUGAR TIRTH AGRO FOODS  
No.3, Leo Crusher Estate, Karanai Main Road,  
Arasankazhani, Chennai-600130.

Report No. : ME014625052

Issue Date : 15/05/2025

Your ref. : LETTER

Ref.Date : 05/05/2025

**Sample Particulars :** Packaged Drinking water other than Packaged Natural Mineral Water

Nature of Sample : PACKAGED DRINKING WATER

Grade/Variety/Type/Class/Size: PET

Quantity : 6 x 1Ltr

Brand Name if any : --

Lab Code : ME/25/05/2-0146

Batch No. : 5

Date of Receipt : 10/05/2025

Date of Manufacture : 05/05/2025

Date of Commencement of testing : 10/05/2025

Date of Expiry : 04/11/2025

Date of Completion of testing : 15/05/2025

Mode of packing : Received in PET Bottles

Tests Required : Six Monthly Test as per IS:14543:2024

### TEST RESULTS

**Description :** Sample was clear without any sediments, free from suspended particles and extraneous matter.

Sl. No.	Test Parameters	Specified Requirements	Results	Test Method
<b>Table 2: General Parameters concerning substances undesirable in Excessive amounts(Claue 5.3)</b>				
1	Fluoride as F, mg/L	Max. 1.0	<0.1	APHA 4500 F
2	Silver as Ag, mg/L	Max. 0.01	<0.0005	IS:3025 (P-65) 2022
3	Selenium as Se, mg/L	Max. 0.01	<0.0005	IS:3025 (P-65) 2022
4	Sodium as Na, mg/L	Max. 200	5.2	IS:3025 (Part 45):2024
<b>Table 3: Parameters concerning Toxic substances (Clause 5.3)</b>				
5	Mercury as Hg, mg/L	Max. 0.001	<0.0005	USEPA 200.7 Rev 4.4
6	Cadmium as Cd, mg/L	Max. 0.003	<0.0005	IS:3025 (P-65) 2022
7	Arsenic as As, mg/L	Max. 0.01	<0.0005	IS:3025 (P-65) 2022
8	Cyanide as CN, mg/L	Absent	Absent (DL-0.01)	IS: 3025 (Part-27) Sec-1 2021
9	Lead as Pb, mg/L	Max. 0.01	<0.005	IS:3025 (P-65) 2022
10	Chromium as Cr, mg/L	Max. 0.05	<0.001	IS:3025 (P-65) 2022
11	Nickel as Ni, mg/L	Max. 0.02	<0.01	IS:3025 (P-65) 2022
12	Polychlorinated Biphenyl (PCB), mg/L	Not Detectable	Not Detected (DL-0.00001)	Annexure-M of IS:13428:2024
13	Polynuclear Aromatic Hydrocarbons (PAH), mg/L	Not Detectable	Not Detected (DL-0.00001)	APHA 6440 24th edition 2023

\*\*\*END OF REPORT\*\*\*

*S. Anuman*

**PRINCIPAL**

The PSBB Millennium School  
DLF Garden City Thazhambur,  
Off OMR - Chennai - 600 130.  
Ph. +91 - 44 - 48517880 / 7901



*M. Sachin Raju*

**M.SACHIN RAJU**  
T.M. - Chemical

Govt. Analyst / Authorised Signatory

# 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in





# ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

## TEST REPORT



Page No. 1/1

ULR : TC617225300002173F

### Customer Name & Address :

M/s.SUGAR TIRTH AGRO FOODS  
No.3, Leo Crusher Estate, Karanai Main Road,  
Arasankazhani, Chennai-600130.

Report No. : ME014725052

Issue Date : 15/05/2025

Your ref. : LETTER

Ref.Date : 05/05/2025

**Sample Particulars :** Packaged Drinking water other than Packaged Natural Mineral Water

Nature of Sample : PACKAGED DRINKING WATER

Grade/Variety/Type/Class/Size: PET

Quantity : 1 x 1Ltr

Brand Name if any : —

Lab Code : ME/25/05/2-0147

Batch No. : 5

Date of Receipt : 10/05/2025

Date of Manufacture : 05/05/2025

Date of Commencement of testing : 14/05/2025

Date of Expiry : 04/11/2025

Date of Completion of testing : 14/05/2025

Mode of packing : Received in PET Bottle

Tests Required : Bromate Test as per IS:14543:2024

### TEST RESULTS

**Description :** Sample was clear without any sediments, free from suspended particles and extraneous matter.

Sl. No.	Test Parameters	Requirement	Result	Test Method
Table 2: General Parameters concerning substances undesirable in Excessive amounts(Claue 5.3)				
1	Bromates as BrO <sub>3</sub> ,mg/L	Max 0.01	<0.0025	IS:3025 (P 67) 2018

\*\*\*END OF REPORT\*\*\*\*

*S. Anuman*

PRINCIPAL

The PSBB Millennium School  
DLF Garden City Thazhambur,  
Off OMR, Chennai - 600 130  
Ph. +91 - 44 - 48517880 / 7901



*M. Sachin Raju*  
M.SACHIN RAJU

T.M. - Chemical

Govt. Analyst / Authorised Signatory

# 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in